



Simulation, fitting, statistics, and plotting.

<https://simfit.org.uk>
William G. Bardsley

Contents

1.1	How to use SIMFIT test files	2
1.2	Summary of SIMFIT test files	2
1.3	List of test files by type	3
1.3.1	Test files (Data)	3
1.3.2	Library files (Data)	7
1.3.3	Test files (Models in reverse Polish)	8
1.3.4	Test files (Models using expressions)	9
1.3.5	Miscellaneous data files	10
1.3.6	Graphics configuration and metafiles	10
1.3.7	Parameter limits files	11
1.3.8	Error message files	11
1.3.9	PostScript example files	11
1.3.10	SIMFIT configuration files	11
1.3.11	Default files	12
1.3.12	Temporary files	12
1.3.13	NAG library files (contents of list.nag)	12

1.1 How to use SIMFIT test files

The SIMFIT package provides a very large number of data analysis procedures as follows.

1. Creating and editing data files and mathematical models in SIMFIT format
2. Simple curve fitting using defined models and automatically chosen starting estimates
3. Advanced curve fitting by constrained nonlinear regression using models from a built-in library or as user-defined equations
4. Simulating and fitting systems of nonlinear differential equations
5. Statistical analysis using standard and multivariate techniques
6. Data smoothing by polynomials or splines for constructing calibration curves
7. Plotting in two or three dimensions and as contours

So, in order to make SIMFIT user-friendly, there are test files that can be used to experiment with any chosen procedure. For most of the SIMFIT procedures a typical data set is automatically provided as a test file when a procedure is chosen. However, for all procedures there is a [Demo] option on the file-open window that allows users to view or select possible data sets before trying with their own data sets, and there is also a [Paste] option to transform rectangular clipboard data tables into SIMFIT format.

This document is just a list of the test files bundled with the SIMFIT package, but the [View] option on the main menu also allows users to view any of the files listed.

1.2 Summary of SIMFIT test files

Note that all SIMFIT test files, data files, configuration files and graphics files (EPS and SVG) are ASCII text files that can be read and altered in any text editor, e.g, **notepad**. Data files can use integers, floating point, or scientific (i.e., exponential) notation and columns can be comma-separated or space-separated.

The test files consist of data sets that can be used to understand how SIMFIT works. You can use a test file with a program, then view it to appreciate the format before running your own data. Library files are just collections of names of test files so you can enter many files at the same time. This is very useful with statistics (e.g., ANOVA, multiple comparisons with **simstat**) and plotting (e.g., supplying ASCII coordinate files to **simplot**).

Configuration and default files are used by SIMFIT to store certain parameter values that are relevant to some particular functions. Some files are created automatically and upgraded whenever you make significant changes, and some are created only on demand. All such configuration and default files are ASCII text files that can be browsed in the SIMFIT viewer. In general, the idea is that when a particular configuration proves satisfactory you could make a copy of the file to restore the current defaults after SIMFIT has altered the settings. SIMFIT generates many temporary files and if you exit from a program in an abnormal fashion (e.g., by Ctrl+Alt+Del) these are left in an unfinished state. Usually these would be automatically deleted, but expert users will sometimes want the facility to save temporary files on exit from SIMFIT, so this possibility is provided but should be used sparingly.

You should not attempt to edit such files in a text editor but note that, if you suspect a fault may be due to a faulty configuration or default files, just delete them and SIMFIT will create new versions.

1.3 List of test files by type

1.3.1 Test files (Data)

adderr.tf1	Data for adding random numbers using adderr
adderr.tf2	Data for adding random numbers using adderr
anova1.tf1	Matrix for 1 way analysis of variance in ftest or simstat
anova2.tf1	Matrix for 2 way analysis of variance in ftest or simstat
anova2.tf2	Matrix for 2 way analysis of variance in ftest or simstat
anova3.tf1	Matrix for 3 way analysis of variance in ftest or simstat
anova4.tf1	Matrix for groups/subgroups analysis of variance in ftest or simstat
anova5.tf1	Matrix for factorial ANOVA (2 factors, 1 block)
anova5.tf2	Matrix for factorial ANOVA (2 factors, 3 blocks)
anova5.tf3	Matrix for factorial ANOVA (3 factors, 1 blocks)
anova5.tf4	Matrix for factorial ANOVA (3 factors, 3 blocks)
anova6.tf1	Matrix for repeated measures ANOVA (5 subjects, 4 treatments)
average.tf1	Data for program average
barchart.tf1	Creates a barchart in simplot
barchart.tf2	Creates a barchart in simplot
barchart.tf3	Creates a barchart in simplot
barchart.tf4	Creates a barchart in simplot
barchart.tf5	Creates a barchart in simplot
barchart.tf6	Creates a barchart in simplot
barchart.tf7	Adds a curve to barchart created from barchart.tf6
barcht3d.tf1	Creates a 3 dimensional barchart in simplot
barcht3d.tf2	Creates a 3 dimensional barchart in simplot
barcht3d.tf3	Creates a 3 dimensional barchart in simplot
binomial.tf1	Fifty numbers from a binomial distribution with $N = 50, p = 0.5$
binomial.tf2	Analysis of proportions with no effector values, i.e. X, N
binomial.tf3	Analysis of proportions with effector values, i.e. X, N, t
binomial.tf4	Analysis of proportions with effector values, i.e. X, N, t
bivariate.tf1	Data for fitting a scaled bivariate normal model
calcurve.tf1	Prepares a calibration curve in EXPERT mode using calcurve
calcurve.tf2	Calcurve.tf1 with no weights or EXPERT mode settings
calcurve.tf3	Predicts x given y with calcurve.tf1
chisqd.tf1	Fifty numbers from a chi-square distribution with $\nu = 10$
chisqd.tf2	Vector of observed values to be used with chisqd.tf3
chisqd.tf3	Vector of expected values to be used with chisqd.tf2
chisqd.tf4	Matrix for Fisher exact test in chisqd or simstat
chisqd.tf5	Contingency table for chi-square test in chisqd or simstat
cluster.tf1	Data for multivariate cluster analysis in simstat
cluster.tf2	Data for multivariate cluster analysis in simstat
cochranq.tf1	Matrix for Cochran Q test
column1.tf1	Vector for 1 way ANOVA in ftest or simstat
column1.tf2	Vector for 1 way ANOVA in ftest or simstat
column1.tf3	Vector for 1 way ANOVA in ftest or simstat
column1.tf4	Vector for 1 way ANOVA in ftest or simstat
column1.tf5	Vector for 1 way ANOVA in ftest or simstat
column2.tf1	Vector for nonparametric correlation in rstest or simstat
column2.tf2	Vector for nonparametric correlation in rstest or simstat
column2.tf3	Vector for nonparametric correlation in rstest or simstat
compare.tf1	Use with compare to compare with compare.tf2
compare.tf2	Use with compare to compare with compare.tf1
consec4.tf1	Used by deqsol in consec4.TFL for A in 4 differential equations $A=B=C=D$

consec4.tf2 Used by **deqsol** in consec4.TFL for B in 4 differential equations A=B=C=D
 consec4.tf3 Used by **deqsol** in consec4.TFL for C in 4 differential equations A=B=C=D
 consec4.tf4 Used by **deqsol** in consec4.TFL for D in 4 differential equations A=B=C=D
 consec5.tf1 Used by **deqsol** in consec4.TFL for A in 5 differential equations A=B=C=D=E
 consec5.tf2 Used by **deqsol** in consec4.TFL for B in 5 differential equations A=B=C=D=E
 consec5.tf3 Used by **deqsol** in consec4.TFL for C in 5 differential equations A=B=C=D=E
 consec5.tf4 Used by **deqsol** in consec4.TFL for D in 5 differential equations A=B=C=D=E
 consec5.tf5 Used by **deqsol** in consec4.TFL for E in 5 differential equations A=B=C=D=E
 cox.tf1 Survival data for Cox proportional hazards model
 cox.tf2 Survival data for Cox proportional hazards model
 cox.tf3 Survival data for Cox proportional hazards model
 cox.tf4 Survival data for Cox proportional hazards model
 csadat.tf1 Example of the preliminary flow cytometry format for **csadat**
 csadat.tf2 Example of the preliminary flow cytometry format for **csadat**
 csafit.tf1 Geometric type data with 15% stretch for **csafit**
 csafit.tf2 Arithmetic type data with 5% translation for **csafit**
 csafit.tf3 Mixed type data for **csafit**
 deqsol.tf1 Library data for fitting LV1.tf1 and LV2.tf1 by **deqsol**
 deqsol.tf2 Library data for fitting LV1.tf1 by **deqsol**
 deqsol.tf3 Library data for fitting LV2.tf1 by **deqsol**
 editfl.tf1 Data for editing by **editfl**
 editfl.tf2 Data for editing by **editfl**
 editfl.tf3 Data for editing by **editfl**
 editfl.tf4 Data for editing by **editfl**
 editmt.tf1 Data for editing by **editmt**
 editmt.tf2 Data for editing by **editmt**
 editmt.tf3 Data for editing by **editmt**
 errorbar.tf1 Normal error bars (4 columns)
 errorbar.tf2 Advanced error bars (6 columns)
 exfit.tf1 Exact data for 1 exponential for fitting by **exfit**
 exfit.tf2 Random error added to exfit.tf1 by **adderr**
 exfit.tf3 Exact data for 2 exponentials for fitting by **exfit**
 exfit.tf4 Random error added to exfit.tf3 by **adderr**
 exfit.tf5 Exact data for Model 5 in **exfit**
 exfit.tf6 Exact data for Model 6 in **exfit**
 exfit.tf7 Exact data for concave down exponentials in **exfit**
 fdr_bh.tf1 Data for false discovery rate calculations in **simstat**
 fttest.tf1 Fifty numbers from the F distribution with $m = 2, n = 5$
 gauss3.tf1 3 Gaussians: starting estimates by begin{limits}...end{limits}
 gauss3.tf2 3 Gaussians: starting estimates from start of trailer section
 gcfits.tf1 Exact data for model 3 in **gcfits**
 gcfits.tf2 Random error added to gcfits.tf1 by **adderr**
 gcfits.tf3 Random error added to gcfits.tf1 by **adderr**
 gcfits.tf4 Random error added to logistic equation by **adderr**
 gcfits.tf5 Gompertz growth data
 gcfits.tf6 Gompertz decay data by reversing gcfits.tf5
 glm.tf1 Normal errors, reciprocal link
 glm.tf2 Binomial errors, logistic link
 glm.tf3 Poisson errors, log link
 glm.tf4 Gamma errors, reciprocal link
 gompertz.tf1 Data for **gcfits** in survival mode 2
 hlfit.tf1 Exact data for 1 site for fitting by **hlfit**
 hlfit.tf2 Random error added to hlfit.tf1 by **adderr**
 hlfit.tf3 Exact data for 2 sites for fitting by **hlfit**

hlfit.tf4	Random error added to hlfit.tf3
hotcold.tf1	Data for mmfit/hlfit/qnfit in isotope displacement mode
hotel.tf1	Data for Hotelling 1-sample T-square test
houses.tf1	Data for constructing a biplot
incomplete.tf1	Incomplete matrix with missing values
incomplete.tf2	Incomplete matrix with missing values
incomplete.tf3	Incomplete matrix with missing values
inhibit.tf1	Data for fitting mixed inhibition as $v = f(S,I)$
inrate.tf1	Data for models 1 and 2 in inrate
inrate.tf2	Data for model 3 in inrate
inrate.tf3	Data for model 4 in inrate
inrate.tf4	Data for model 5 in inrate
latinsq.tf1	Latin square data for 3 way ANOVA in ftest or simstat
iris.tf1	Iris data for K-means clustering (see manova1.tf5)
iris.tf2	Starting K-means clusters for iris.tf2
kmeans.tf1	Data for K-means cluster analysis
kmeans.tf2	Starting clusters for kmeans.tf1
ld50.tf1	Dose-response data for LD50 by GLM as y,N,x
ld50.tf2	Dose-response data for LD50 by GLM as x,y,N,s
ld50.tf3	Dose-response data for LD50 by GLM as $x,N-y,N,s$
line.tf1	Straight line data
line.tf2	Straight line data
linfit.tf1	Multilinear regression data for linfit
linfit.tf2	Multilinear regression data for linfit
linfit.tf3	Weighted linear regression data for linfit
logistic.tf1	Data for binary logistic regression
logistic.tf2	Data to predict p after fitting logistic.tf1
logistic.tf3	Data for logistic regression
logistic.tf4	Data for logistic regression
logistic.tf5	Data for logistic regression
loglin.tf1	Data for log-linear contingency table analysis
lv1.tf1	Data for $y(1)$ in the Lotka-Volterra differential equations
lv2.tf1	Data for $y(2)$ in the Lotka-Volterra differential equations
maksim.tf1	Matrix for editing by maksim
maksim.tf2	Matrix for editing by maksim
manova1.tf1	MANOVA data: 3 groups, 2 variables
manova1.tf2	MANOVA data: 3 groups, 2 variables
manova1.tf3	MANOVA data: 2 groups, 5 variables
matrix_a.tf1	30 by 3 Directed correlation data
matrix_b.tf1	30 by 4 Directed correlation data
matrix_p.tf1	3 by 4 Matrix of probabilities
matrix.tf1	5 by 5 matrix for simstat in calculation mode
matrix.tf2	7 by 5 matrix for simstat in calculation mode
matrix.tf3	Positive-definite symmetric 4 by 4 matrix for simstat in calculation mode
matrix.tf4	Symmetric 4 by 4 matrix for simstat in calculation mode
matrix.tf5	25 by 4 matrix for simstat in correlation mode
mcnemar.tf1	Data for McNemar test
meta.tf1	Data for Cochran-Mantel-Haentzel Meta Analysis test
meta.tf2	Data for Cochran-Mantel-Haentzel Meta Analysis test
meta.tf3	Data for Cochran-Mantel-Haentzel Meta Analysis test
mmfit.tf1	Exact data for 1 Michaelis-Menten isoenzyme in mmfit
mmfit.tf2	Random error added to mmfit.tf1 by adderr
mmfit.tf3	Exact data for 2 Michaelis Menten isoenzymes in mmfit
mmfit.tf4	Random error added to mmfit.tf3 by adderr

normal.tf1	Fifty numbers from a normal distribution with $\mu = 0, \sigma = 1$
normal.tf2	Fifty numbers from a normal distribution with $\mu = 1, \sigma = 2$
normal.tf3	Fifty numbers from $N(-1.5,1)$ plus fifty from $N(1.5,1)$
npcorr.tf1	Matrix for nonparametric correlation in rstest or simstat
pacorr.tf1	Correlation matrix for partial correlation in simstat
pabst-einstein.tf1	\log_{10} (Pabst-Einstein) equation
piechart.tf1	Creates a piechart in simplot
piechart.tf2	Creates a piechart in simplot
piechart.tf3	Creates a piechart in simplot
plot2.tf1	LHS axis data for double plot in simplot
plot2.tf2	LHS axis data for double plot in simplot
plot2.tf3	RHS axis data for double plot in simplot
pls_x.tf1	Partial least squares X matrix in simstat
pls_y.tf1	Partial least squares Y matrix in simstat
pls_z.tf1	Partial least squares Z matrix in simstat
poisson.tf1	Forty numbers from a Poisson distribution
poisson.tf2	Death from horse kicks in Prussian cavalry
polnom.tf1	Data for a quadratic in polnom
polnom.tf2	Predict x given y from polnom.tf1
polnom.tf3	Predict y given x from polnom.tf1
polnom.tf4	Fit after transforming to $x = \log(x), y = \log(y/(1 - y))$
primes.tf1	Single prime numbers up to 10000
primes.tf2	Twin prime numbers up to 10000
qnfit_data.tf1	Data for qnfit tutorials: Example 1 Quadratic
qnfit_data.tf2	Data for qnfit tutorials: Example 2 2D linear
qnfit_data.tf3	data for qnfit tutorials: Example 3 3D linear
qnfit_data.tf4	data for qnfit tutorials: Example 4 Sum of 2 MM curves
qnfit_data.tf5	data for qnfit tutorials: Example 5 B in A->B->C
qnfit_data.tf6	data for qnfit tutorials: Example 6 Sum of 2 normal pdfs
qnfit_data.tf7	data for qnfit tutorials: Example 6 Sum of 2 normal cdfs
qnfit.tf1	Quadratic in EXPERT mode for qnfit
qnfit.tf2	Reversible Michaelis-Menten data in EXPERT mode for qnfit
qnfit.tf3	Linear function of 3 variables in EXPERT mode for qnfit
qnfit_ode.tf1	Michaelis-Menten substrate depletion data in EXPERT mode for qnfit
qnfit_ode.tf2	Von Bertalanffy growth data in EXPERT mode for qnfit
qnfit_ode.tf3	Von Bertalanffy growthdecay data in EXPERT mode for qnfit
rainfall.tf1	Rainfall in England and Wales from 1766 to 2015
rffit.tf1	2:2 Rational function data for rffit
rffit.tf2	1:2 Rational function data for rffit
rffit.tf3	2:2 Rational function data for rffit
rffit.tf4	2:3 Rational function data for rffit
rffit.tf5	4:4 Rational function data for rffit (2 turning points)
rffit.tf6	3:4 Rational function data for rffit (3 turning points)
rffit.tf7	rffit6 with triplicates and 7.5% relative error
robust.tf1	Normal.tf1 with 5 outliers
rstest.tf1	Residuals for runs test in rstest
sffit.tf1	Exact data for 1 site in sffit
sffit.tf2	Random error added to sffit.tf1 by adderr
sffit.tf3	Exact data for 2 sites in sffit
sffit.tf4	Random error added to sffit.tf3 by adderr
simplot.tf1	Error-bar data for simplot
simplot.tf2	Best-fit 1:1 to simplot.tf1 for simplot
simplot.tf3	Best-fit 2:2 to simplot.tf1 for simplot
spiral.tf1	Creates a 3 dimensional curve in simplot

spiral.tf2	Creates a 3 dimensional curve in simplot
spline.tf1	Spline coefficients for spline -e02baf.tf1
spline.tf2	Spline coefficients for spline -compare.tf1
spline.tf3	Spline coefficients for spline -compare.tf2
strata.tf1	Data for stratified binomial logistic regression
surface.tf1	Creates a surface in simplot
surface.tf2	Creates a surface in simplot
surface.tf3	Creates a surface in simplot
surface.tf4	Creates a surface in simplot
survive.tf1	Survival data for gcfi t in mode 3
survive.tf2	Survival data to pair with survive.tf1
survive.tf3	Survival data for gcfi t in mode 3
survive.tf4	Survival data to pair with survive.tf3
survive.tf5	Survival data for gcfi t in mode 3
survive.tf6	Survival data to pair with survive.tf5
swarm.tf1	Data with error in x and y
times.tf1	Data for time series analysis in simstat
trinom.tf1	Trinomial contour plots in binomial
trinom.tf2	Trinomial contour plots in binomial
trinom.tf3	Trinomial contour plots in binomial
ttest.tf1	Fifty numbers from a t distribution with $\nu = 10$
ttest.tf2	t test data for ttest or simstat
ttest.tf3	Data paired with ttest.tf2
ttest.tf4	t test data for ttest or simstat
ttest.tf5	Data paired with ttest.tf4
ttest.tf6	Data for t test on rows of a matrix
tukeyq.tf1	matrix for ANOVA then Tukey Q test
ukmap.tf1	coordinates for K-means clustering
ukmap.tf2	starting centroids for ukmap.tf2
ukmap.tf3	uk coastal outline coordinates
vector.tf1	Vector (5 by 1) consistent with matrix.tf1
vector.tf2	Vector (7 by 1) consistent with matrix.tf2
vector.tf3	Vector (4 by 1) consistent with matrix.tf3
vfield.tf1	vector field file (4 columns)
vfield.tf2	vector field file (9 columns, i.e. a biplot)
weibull.tf1	Survival data for gcfi t in mode 2
wilcoxon.tf1	Data for Wilcoxon signed ranks paired with wilcoxon.tf2
wilcoxon.tf2	Data for Wilcoxon signed ranks paired with wilcoxon.tf1
zeros.tf1	Zeros of the Riemann zeta function
zigzag.tf1	Zig-zag data to illustrate clipping to boundaries

1.3.2 Library files (Data)

anova1.TFL	1-way ANOVA in fctest or simstat
consec3.TFL	Data for fitting by qfit using <code>consec3.mod</code>
consec4.TFL	Used by deqsol for 4 differential equations $A=B=C=D$
consec5.TFL	Used by deqsol for 5 differential equations $A=B=C=D=E$
convolv3.TFL	Data for fitting by qfit using <code>convolv3.mod</code>
deqsol.TFL	Curve fitting data for deqsol (Identical to <code>deqsol.tf1</code>)
editps.TFL	PostScript files for EDITPS
epidemic.TFL	Data for fitting epidemic differential equations
images.TFL	PostScript files for EDITPS
inhibit.TFL	Data for plotting mixed inhibition results
npcorr.TFL	Nonparametric correlation data for rctest or simstat

simfig1.TFL	Creates figure 1 in simplot
simfig2.TFL	Creates figure 2 in simplot
simfig3.TFL	Creates figure 3 in simplot
simfig4.TFL	Creates figure 4 in simplot
simplot.TFL	Identical to simfig1.TFL
spiral.TFL	Creates a spiral in simplot
qnfit.TFL	Parameter limits library file for qnfit
line3.TFL	Data for fitting three lines simultaneously by qnfit

1.3.3 Test files (Models in reverse Polish)

camalot.mod	Model for Logarithmic Spiral as used in Camalots
cheby.mod	Model for Chebyshev expansion
consec3.mod	Model for irreversible chemical kinetics A to B to C
convolve.mod	Model for a convolution between an exponential and gamma function
convolv3.mod	Version of <code>convolve.mod</code> for all components
dble_exp.mod	Chemical kinetic double exponential model
d01fcf.mod	Model with four variables for integration
ellipse.mod	Model for an ellipse in makdat/simplot/usermod
family2d.mod	Two dimensional family of diffusion equations
family3d.mod	Three dimensional family of diffusion equations
helix.mod	Model for a helix in makdat/simplot/usermod
if.mod	Model illustrating logical commands
impulse.mod	Model illustrating 5 single impulse functions
line3.mod	Model for 3 lines in qnfit
optimum.mod	Model for optimizing Rosenbrock's 2-dimensional test function in usermod
periodic.mod	Model illustrating 7 periodic impulse functions
rose.mod	Model for a rose in makdat/simplot/usermod
tangent.mod	Tangent to logarithmic spiral defined in <code>camalot.mod</code>
twister.mod	Projection of a space curve onto coordinate planes
updown.mod	Model that swaps definition at a cross-over point
updownup.mod	Model that swaps definition at two cross-over points
user1.mod	Model illustrating arbitrary models
deqmat.tf1	How to transform a system of differential equations
deqmat.tf2	How to transform a system of differential equations
deqmod1.tf1	1 DE Michaelis-Menten substrate depletion
deqmod1.tf2	1 DE Michaelis-Menten product accumulation
deqmod1.tf3	1 DE Generalised substrate depletion
deqmod1.tf4	1 DE Generalised product accumulation
deqmod1.tf5	1 DE Membrane transport corrected for osmosis
deqmod1.tf6	1 DE von Bertalanffy allometric growth
deqmod2.tf1	2 DE Order 2 equation expressed as two equations
deqmod2.tf2	2 DE Lotka-Volterra predator-prey model
deqmod2.tf3	2 DE Competing species ecological model
deqmod3.tf1	3 DE Epidemic model (with Jacobian)
deqmod3.tf2	3 DE Epidemic model (without Jacobian)
deqmod4.tf1	4 DE Comprehensive Michaelis-Menten reversible model
deqpar1.tf1	Parameters for <code>deqmod1.tf1</code>
deqpar1.tf2	Parameters for <code>deqmod1.tf2</code>
deqpar1.tf3	Parameters for <code>deqmod1.tf3</code>
deqpar1.tf4	Parameters for <code>deqmod1.tf4</code>
deqpar1.tf5	Parameters for <code>deqmod1.tf5</code>
deqpar1.tf6	Parameters for <code>deqmod1.tf6</code>
deqpar2.tf1	Parameters for <code>deqmod2.tf1</code>

deqpar2.tf2	Parameters for deqmod2.tf2
deqpar2.tf3	Parameters for deqmod2.tf3
deqpar4.tf1	Parameters for deqmod4.tf1
usermod1.tf1	Function of 1 variable: line
usermod1.tf2	Function of 1 variable: quadratic
usermod1.tf3	Function of 1 variable: cubic
usermod1.tf4	Function of 1 variable: 2:2 rational function
usermod1.tf5	Function of 1 variable: one exponential
usermod1.tf6	Function of 1 variable: two exponentials
usermod1.tf7	Function of 1 variable: normal integral
usermod1.tf8	Function of 1 variable: capillary diffusion
usermod1.tf9	Function of 1 variable: damped simple harmonic motion
usermod2.tf1	Function of 2 variables: linear
usermod3.tf1	Function of 3 variables: linear
usermod4.tf1	Function of 4 variables: integrand for D01FCF
usermodd.tf1	Differential equation for usermod
usermodn.tf1	Four functions for plotting by usermod
usermodn.tf2	Two functions of 2 variables for usermod
usermodn.tf3	Three functions of 3 variables for usermod
usermodn.tf4	Nine functions of 9 variables for usermod
usermods.tf1	Special functions with one argument
usermods.tf2	Special functions with two arguments
usermods.tf3	Special functions with three arguments
usermodx.tf1	Using a sub-model for function evaluation
usermodx.tf2	Using a sub-model for quadrature
usermodx.tf3	Using a sub-model for root-finding
usermodx.tf4	Using three sub-models for root-finding of an integral
usermodx.tf5	Using a sub-model to evaluate a multiple integral

1.3.4 Test files (Models using expressions)

camalot_e.mod	Model for Logarithmic Spiral as used in Camalots
convolv3_e.mod	Version of <code>convolve.mod</code> for all components
deqmod2_e.tf1	Model for 2 differential equations
ellipse_e.mod	Model for an ellipse
helix_e.mod	Model for a helix
line3_e.mod	Model for 3 lines
optimum_e.mod	Model for optimizing Rosenbrock's 2-dimensional test function
qnfit_model.tf1	Model for qnfit tutorials: Example 1 Quadratic
qnfit_model.tf2	Model for qnfit tutorials: Example 2 2D linear
qnfit_model.tf3	Model for qnfit tutorials: Example 3 3D linear
qnfit_model.tf4	Model for qnfit tutorials: Example 4 Sum of 2 MM curves
qnfit_model.tf5	Model for qnfit tutorials: Example 5 B in A->B->C
qnfit_model.tf6	Model for qnfit tutorials: Example 6 Sum of 2 normal pdfs
qnfit_model.tf7	Model for qnfit tutorials: Example 7 Sum of 2 normal cdfs
rose_e.mod	Model for a eight-leaved rose
usermod1_e.tf1	Function of 1 variable: line
usermod1_e.tf2	Function of 1 variable: quadratic
usermod1_e.tf3	Function of 1 variable: cubic
usermod1_e.tf4	Function of 1 variable: 2:2 rational function
usermod1_e.tf5	Function of 1 variable: one exponential
usermod1_e.tf6	Function of 1 variable: two exponentials
usermod1_e.tf7	Function of 1 variable: normal integral
usermod1_e.tf8	Function of 1 variable: capillary diffusion

usermod1_e.tf9	Function of 1 variable: damped simple harmonic motion
usermod2_e.tf1	Function of 2 variables: linear
usermod3_e.tf1	Function of 3 variables: linear
usermod4_e.tf1	Function of 4 variables: integrand for D01FCF
usermodd_e.tf1	Differential equation
usermodn_e.tf1	Four functions for plotting
usermodn_e.tf2	Two functions of 2 variables
usermodn_e.tf3	Three functions of 3 variables
usermodn_e.tf4	Nine functions of 9 variables
usermods_e.tf1	Special functions with one argument
usermods_e.tf2	Special functions with two arguments
usermods_e.tf3	Special functions with three arguments
deqmod1_e.tf1	1 DE Michaelis-Menten substrate depletion
deqmod1_e.tf2	1 DE Michaelis-Menten product accumulation
deqmod1_e.tf3	1 DE Generalised substrate depletion
deqmod1_e.tf4	1 DE Generalised product accumulation
deqmod1_e.tf5	1 DE Membrane transport corrected for osmosis
deqmod1_e.tf6	1 DE von Bertalanffy allometric growth
deqmod2_e.tf1	2 DE Order 2 equation expressed as two equations
deqmod2_e.tf2	2 DE Lotka-Volterra predator-prey model
deqmod2_e.tf3	2 DE Competing species ecological model
deqmod3_e.tf1	3 DE Epidemic model (with Jacobian)
deqmod3_e.tf2	3 DE Epidemic model (without Jacobian)
deqmod4_e.tf1	4 DE Comprehensive Michaelis-Menten reversible model

1.3.5 Miscellaneous data files

cheby.data	Data required by cheby.mod
consec3_A.data	Data for component A in consec3.mod
consec3_B.data	Data for component B in consec3.mod
consec3_C.data	Data for component C in consec3.mod
convolv3.data	Data for convolv3.mod
inhibit?.data	Data for inhibit.tfl
line?.data	line1.data, line2.data and line3.data for line3.tfl
simfig3?.data	Data for simfig3.tfl
simfig4?.data	Data for simfig4.tfl
y?.data	y1.data, y2.data and y3.data for epidemic.tfl

1.3.6 Graphics configuration and metafiles

These files can be created on demand from program **simplot** in order to save plotting parameters from the current plot for subsequent re-use.

logodds.cfg	Configure a logodds plot
logoddsratios.cfg	Configure a logoddsratios plot
metafile.tf1	Metafile for multiple plots
metafile.tf2	Metafile for a double plot
metafile.tf3	Metafile for a barchart
metafile.tf4	Metafile for a piechart
metafile.tf5	Metafile for a labels plot
metafile.tf6	Metafile for a vector field plot
metafile.tf7	Metafile for a biplot
metafile.tf8	Metafile for a dendrogram

metafile.tf9	Metafile for logodds plot
w_simfig1.cfg	Configures simplot to use simfig1.tfl
w_simfig2.cfg	Configures simplot to use simfig2.tfl
w_simfig3.cfg	Configures simplot to use simfig3.tfl
w_simfig4.cfg	Configures simplot to use simfig4.tfl

1.3.7 Parameter limits files

These files consist of lowest possible values, starting estimates and highest possible values for parameters used by **qnfit** and **deqsol** for constraining parameters during curve fitting. They are usually referenced by library files such as qnfit.tfl. See, for example, positive.plf, negative.plf and unconstrained.plf.

1.3.8 Error message files

When programs like **deqsol**, **makdat** and **qnfit** start to execute they open special files like w_deqsol.txt and w_qnfit.txt to receive all messages generated during the current curve fitting and solving of differential equations. Advanced **SIMFIT** users can inspect these files and other files like iterate.txt to get more details about any singularities encountered during iterations. If any serious problems are encountered using **deqsol** or **qnfit**, you can consult the appropriate *.txt file for more information.

1.3.9 PostScript example files

pscodes.ps	PostScript octal codes
psgfragx.ps	Illustrating psfragex.tex/psfragex.ps1
simfig1.ps	Example
simfig2.ps	Example
simfig3.ps	Example
simfig4.ps	Example
simfonts.ps	Standard PostScript fonts
ms_office.ps	Using MS Excel and Word
pspecial.i	Example PS specials (i = 1 to 10)
*.eps	Assorted Encapsulated PostScript files

1.3.10 SIMFIT configuration files

These files are created automatically by **SIMFIT** and should not be edited manually unless you know exactly what you are doing, e.g., setting the PostScript color palette.

g_recent.cfg	Recent graphics files
l_simfit.cfg	This stores information for configuring the Linux version
pspecial.cfg	Configuration file for PostScript specials
w_clpbrd.cfg	This holds the last file number x as in clipboard_x.txt
w_colors.cfg	Colors for simple graphs
w_filter.cfg	This contains the current search patterns used to configure the file selection and creation controls
w_fsizes.cfg	This holds the graphics font sizes
w_ftests.cfg	This holds the last NPTS, NPAR, WSSQ values used for F tests
w_graphs.cfg	This holds the graph configuration parameters
w_input.cfg	This holds the last filenames used for data input
w_labels.cfg	This holds the labels and other bar and pie chart details
w_matrix.cfg	This holds the last file number x as in matrix_x.txt
w_modules.cfg	This holds the names of current modules

w_output.cfg	This holds the last filenames used for data output
w_params.cfg	Current parameters for editing data sets
w_pathto.cfg	Paths
w_ps.cfg	This stores all the PostScript configuration details
w_result.cfg	This holds the filename of the latest results file
w_simfit.cfg	This stores all the important details needed to run SIMFIT from the program manager w_simfit.exe
w_symbol.cfg	Symbol and Line types
w_txtcfg.cfg	Formats the SIMFIT text editor interface
w_vector.cfg	This holds the last file number x as in vector_x.txt
a_recent.cfg	Recently selected project files (all types)
c_recent.cfg	Recently selected project files (covariance matrices)
f_recent.cfg	Recently selected project files (curve fitting)
g_recent.cfg	Recently selected project files (graphics)
m_recent.cfg	Recently selected project files (matrix))
p_recent.cfg	Recently selected project files (PostScript)
v_recent.cfg	Recently selected project files (vector)

1.3.11 Default files

These files save details of changes made to the SIMFIT defaults from several programs.

w_labels.cfg	Stores default plotting labels
w_module.cfg	Stores file names of executable modules
w_params.cfg	Stores default editing parameters
w_symbol.cfg	Stores default plotting symbols

1.3.12 Temporary files

These next two files are deleted then re-written during each SIMFIT session. You may wish to save them to disk after a session as a permanent record of files analyzed and created.

w_in.tmp	Stores the list of files accessed during the latest SIMFIT session
w_out.tmp	Stores the list of files created during the latest SIMFIT session

The results log file `f$result.tmp` is created anew each time a program is started that performs calculations, so it overwrites any previous results. You can save results retrospectively either by renaming this file, or else you can configure SIMFIT to ask you for a file name instead of creating this particular results file. SIMFIT also creates a number of temporary files with names like `f$000008.tmp` which should be deleted. If you have an abnormal exit from SIMFIT, the current results file may be such a file and, in such circumstances, you may wish to save it to disk. SIMFIT sometimes makes other temporary files, such as `f$simfit.tmp` with the name of the current program, but you can always presume that it is safe to delete any such files

1.3.13 NAG library files (contents of list.nag)

Models

c05adf.mod	1 function of 1 variable
c05adf_e.mod	1 function of 1 variable
c05nbf.mod	9 functions of 9 variables
c05nbf_e.mod	9 functions of 9 variables
d01ajf.mod	1 function of 1 variable
d01ajf_e.mod	1 function of 1 variable
d01eaf.mod	10 functions of 4 variables

d01eaf_e.mod 10 functions of 4 variables
d01fcf.mod 1 function of 4 variables
d01fcf_e.mod 1 function of 4 variables
e04fyf.mod 1 function of 3 variables
e04fyf_e.mod 1 function of 3 variables
Data
c02agf.tf1 Zeros of a polynomial
e02adf.tf1 Polynomial data
e02baf.tf1 Data for fixed knot spline fitting
e02baf.tf2 Spline knots and coefficients
e02bef.tf1 Data for automatic knot spline fitting
e04fyf.tf1 Data for curve fitting using e04fyf.mod
f01abf.tf1 Inverse: symposdef matrix
f01blf.tf1 Pseudo inverse of a matrix
f02fdf.tf1 A for $Ax = (\lambda)Bx$
f02fdf.tf2 B for $Ax = (\lambda)Bx$
f02wef.tf1 Singular value decomposition
f02wef.tf2 Singular value decomposition
f03aaf.tf1 Determinant by LU
f03aef.tf1 Determinant by Cholesky
f07fdf.tf1 Cholesky factorisation
f08kff.tf1 Singular value decomposition
f08kff.tf2 Singular value decomposition
g02baf.tf1 Correlation: Pearson
g02bnf.tf1 Correlation: Kendall/Spearman
g02bny.tf1 Partial correlation matrix
g02caf.tf1 Unweighted linear regression
g02daf.tf1 Multiple linear regression
g02gaf.tf1 GLM normal errors
g02gbf.tf1 GLM binomial errors
g02gcf.tf1 GLM Poisson errors
g02gdf.tf1 GLM gamma errors
g02haf.tf1 Robust regression (M-estimates)
g02laf.tf1 Partial Least squares X-predictor data
g02laf.tf2 Partial Least Squares Y-response data
g02laf.tf3 Partial Least Squares Z-predictor data
g02wef.tf1 Singular value decomposition
g02wef.tf2 Singular value decomposition
g03aaf.tf1 Principal components
g03acf.tf1 Canonical variates
g03adf.tf1 Canonical correlation
g03baf.tf1 Matrix for Orthomax/Varimax rotation
g03bcf.tf1 X-matrix for procrustes analysis
g03bcf.tf2 Y-matrix for procrustes analysis
g03caf.tf1 Correlation matrix for factor analysis
g03ccf.tf1 Correlation matrix for factor analysis
g03daf.tf1 Discriminant analysis
g03dbf.tf1 Discriminant analysis
g03dcf.tf1 Discriminant analysis
g03eaf.tf1 Data for distance matrix: calculation
g03ecf.tf1 Data for distance matrix: clustering
g03eff.tf1 K-means clustering
g03eff.tf2 K-means clustering
g03faf.tf1 Distance matrix for classical metric scaling

g03ehf.tf1	Data for distance matrix: dendrogram plot
g03ejf.tf1	Data for distance matrix: cluster indicators
g04adf.tf1	ANOVA
g04aef.tfl	ANOVA library file
g04caf.tf1	ANOVA (factorial)
g07bef.tf1	Weibull fitting
g08acf.tf1	Median test
g08acf.tf2	Median test
g08aef.tf1	ANOVA (Friedman)
g08aff.tfl	ANOVA (Kruskall-Wallis)
g08agf.tf1	Wilcoxon signed ranks test
g08agf.tf2	Wilcoxon signed ranks test
g08ahf.tf1	Mann-Whitney U test
g08ahf.tf2	Mann-Whitney U test
g08baf.tf1	Mood and David dispersion tests
g08baf.tf2	Mood and David dispersion tests
g08cbf.tf1	Kolmogorov-Smirnov 1-sample test
g08daf.tf1	Kendall coefficient of concordance
g08eaf.tf1	1000 U(0,1) psedo-random numbers
g08raf.tf1	Regression on ranks
g08rbf.tf1	Regression on ranks
g10abf.tf1	Data for cross validation spline fitting
g10caf.tf1	Data for T4253H smoothing
g11caf.tf1	Stratified logistic regression
g12aaf.tf1	Survival analysis
g12aaf.tf2	Survival analysis
g12baf.tf1	Cox regression
g13dmf.tf1	Auto- and cross-correlation matrices
j06sbf.tf1	Time series